# PULSE
PM150

COMPACT EFFICIENCY

The PM150 delivers performance with a smart design. Thanks to its optimized layout and mesh front panel, it ensures both performance and clean aesthetics in your micro-ATX build.

**Micro ATX
Mini ITX**

5x 120mm fans

330mm
VGA support length

240mm
watercooler support

175mm
air cooler height support

465mm

367mm

216mm

Compact Compatibility

Perfect for micro-ATX and mini-ITX builds. Supporting graphics cards up to 330mm, all components fit perfectly within an elegant 405 x 216 x 367mm frame.

Designed For Compact

Every millimeter matters. The PM150's layout maximizes component space wisely, everything just fits in your M-ATX and mini-ITX build.

Quality Material

Sliding tempered glass panel provides effortless access while premium SPCC steel delivers a solid foundation for you.

Modern Connectivity

Front-panel USB Type-C, USB 3.0, and audio combo jack, just fit your connectivity needs in a compact package.

EINAREX

Case Material	SPCC Steel, ABS, Tempered clear glass		**PCIe slots**	x4
Product Dimension (With feet) (HxWxD)	405 x 216 x 367mm		**Fan Support**	Front: 120mm x 2 / 140mm x2 Top: 120mm x 2 / 140mm x2 Rear: 120mm x 1
Feet height	20mm		**Water Cooling Support**	Front: up to 240mm Top: up to 240mm Rear: up to 120mm
Product Weight	4,6Kg		**Max.Graphics Card Length**	330mm
Tempered Glass	Sliding design			
Motherboard Support	Micro ATX / Mini ITX		**Max.CPU Cooler Height**	175mm
I/O Panel	1x USB 3.0 Type-C 1x USB 3.0 1x Audio/mic Jack 3,5mm		**Max.PSU Cooler Length**	180mm
Internal Bays	2x 2,5" + 2x 3,5"		**Cable management**	24mm

EINAREX