



PSU

APEX L1

POWER FROM BRONZE


Your trusty power for performance. The APEX L1 engineered for reliable power delivery, efficiency engineered with CYBENETICS Bronze certification. Available in multiple wattages for your system needs.

Trusty Safe

Five-layer protection circuits featuring OPP, OVP, UVP, SCP with Active PFC technology. Keeps your power reliable and secure.



einarex.com



APEX L1 550W


Specifications



Power table


| | | | | | | |
|---------------------|------------------------|------|------|-------|------|--------|
| Voltage: 100-240VAC | | | | | | |
| AC Input | Current: 4-8A | | | | | |
| | Frequency: 47-63 Hz | | | | | |
| DC Input | Rail | +12V | +5V | +3.3V | -12V | +5 VSB |
| | Maximum Power | 45A | 15A | 15A | 0.3A | 3A |
| | | 540W | 110W | | 3.6W | 15W |
| | Total Continuous Power | 550W | | | | |

Cable listing




Main 24P
500mm

x1



EPS 12V 8P/4P
550mm

x1




PCIe 8P/6P
500+150mm

x2



SATA
400+150+150mm

x4



Peripheral 4P
400+150+150mm

x2

APEX L1 650W


Specifications



Power table


| | | | | | | |
|-----------------|------------------------|---------------------|------|-------|------|--------|
| | | Voltage: 100-240VAC | | | | |
| AC Input | Current: 5-10A | | | | | |
| | Frequency: 47-63 Hz | | | | | |
| DC Input | Rail | +12V | +5V | +3.3V | -12V | +5 VSB |
| | Maximum Power | 53A | 18A | 18A | 0.3A | 3A |
| | | 636W | 120W | | 3.6W | 15W |
| | Total Continuous Power | | | | | 650W |

Cable listing




Main 24P
500mm

x1




EPS 12V 8P/4P
550mm

x2




PCIe 8P/6P
500+150mm

x2



SATA
400+150+150mm

x6



Peripheral 4P
400+150mm

x2


APEX L1 750W Specifications



Power table


| | | Voltage: 100-240VAC | | | | |
|----------|------------------------|---------------------|------|-------|------|--------|
| AC Input | | Current: 6-10 A | | | | |
| | | Frequency: 47-63 Hz | | | | |
| DC Input | Rail | +12V | +5V | +3.3V | -12V | +5 VSB |
| | Maximum Power | 62A | 18A | 18A | 0.3A | 3A |
| | | 744W | 120W | | 3.6W | 15W |
| | Total Continuous Power | 750W | | | | |

Cable listing




Main 24P
500mm

x1




EPS 12V 8P/4P
600mm

x2




PCIe 8P/6P
500+150mm x1, 500mm x1

x3



SATA
400+150+150mm

x6



Peripheral 4P
400+150mm

x2