



PRODUCT SHEET

Summit

English version

Index

Overview3

Key features.....4

General specifications.....5–6

Package contents.....7

Additional information.....7



OVERVIEW

Summit

Reimagine performance

Summit is an ATX PC case that unites expressive Scandinavian design with strong gaming performance. It features FSC-certified curved wood detailing, matching solid wood feet, and refined finishing touches for a distinctive, furniture-inspired expression.

Designed to support modern high-end components, Summit features three powerful Momentum 14 fans, space for graphics cards up to 425 mm in length, support for radiators up to 360 mm in the front and top, and compatibility with reverse connector motherboards. A modern interior with removable brackets and integrated cable routing features helps deliver a smooth building experience with a neat and tidy finish.



Key features

- ▶ Refined finish featuring multi-layered oak or walnut with matching case feet in solid wood.
- ▶ Powerful air cooling out of the box with three LCP-blade Momentum 14 fans pre-installed
- ▶ Space for graphics cards up to 425 mm in length with an adjustable support bracket included.
- ▶ Airflow design featuring a stylishly perforated mesh front and an integrated GPU air guide.
- ▶ Supports additional cooling with support for radiators up to 360 mm in the front and top.
- ▶ Enjoy a smooth build experience with tool-less access and removable top and front brackets.
- ▶ Achieve a neat finish with a clean interior layout and built-in cable routing features.
- ▶ Supports E-ATX motherboards up to 277 mm and reverse connector motherboards up to ATX.
- ▶ Features an easily accessible I/O with a USB Type-C port, two USB-A ports, and an audio jack.
- ▶ Set the right atmosphere with customizable ARGB Gen 2 ambient lighting (Ambience version).



Specifications

Specification	Summit Solid	Summit TG	Summit Ambience TG
Combined 3.5"/2.5" drive mounts	2	2	2
Dedicated 2.5" drive mounts	2	2	2
Dedicated 3.5" drive mounts	0	0	0
5.25" drive mounts	—	—	—
Expansion slots	7	7	7
Form factor	ATX	ATX	ATX
Motherboard compatibility	Mini ITX / Micro ATX / ATX / E-ATX (E-ATX up to 277 mm)	Mini ITX / Micro ATX / ATX / E-ATX (E-ATX up to 277 mm)	Mini ITX / Micro ATX / ATX / E-ATX (E-ATX up to 277 mm)
Reverse connector motherboard support	Yes	Yes	Yes
RC motherboard compatibility	Reverse Micro ATX / Reverse ATX	Reverse Micro ATX / Reverse ATX	Reverse Micro ATX / Reverse ATX
PSU compatibility	ATX	ATX	ATX
Front interface	2 x USB Type-A 5 Gbps 1 x USB Type-C 20 Gbps 1 x Audio/Mic Combo Jack	2 x USB Type-A 5 Gbps 1 x USB Type-C 20 Gbps 1 x Audio/Mic Combo Jack	2 x USB Type-A 5 Gbps 1 x USB Type-C 20 Gbps 1 x Audio/Mic Combo Jack
Fans included	3 x Momentum 14	3 x Momentum 14	3 x Momentum 14
Front fan mounts	3 × 120 mm or 3 × 140 mm	3 × 120 mm or 3 × 140 mm	3 × 120 mm or 3 × 140 mm
Top fan mounts	3 × 120 mm or 2 × 140 mm	3 × 120 mm or 2 × 140 mm	3 × 120 mm or 2 × 140 mm
Rear fan mounts	1 × 120 mm	1 × 120 mm	1 × 120 mm
Bottom fan mounts	—	—	—
Dust filters	PSU	PSU	PSU
Front radiator compatibility	120 / 240 / 280 / 360	120 / 240 / 280 / 360	120 / 240 / 280 / 360
Top radiator compatibility	120 / 240 / 280 / 360	120 / 240 / 280 / 360	120 / 240 / 280 / 360



Specifications

Specification	Summit Solid	Summit TG	Summit Ambience TG
Rear radiator compatibility	120	120	120
Bottom radiator compatibility	—	—	—
PSU max length (mm)	253 mm	253 mm	253 mm
GPU max length (mm)	425 mm (425 mm with front fan mounted or 393 mm with 30 mm-thick front radiator)	425 mm (425 mm with front fan mounted or 393 mm with 30 mm-thick front radiator)	425 mm (425 mm with front fan mounted or 393 mm with 30 mm-thick front radiator)
CPU cooler max height (mm)	173 mm	173 mm	173 mm
Cable routing space (mm)	34 mm	34 mm	34 mm
Cable grommets	Yes	Yes	Yes
Hook-and-loop straps	Yes	Yes	Yes
Tool-less access	Front panel, top panel, PCIe cover, both side panels, bottom filter, top bracket, PSU bracket	Front panel, top panel, PCIe cover, both side panels, bottom filter, top bracket, PSU bracket	Front panel, top panel, PCIe cover, both side panels, bottom filter, top bracket, PSU bracket
Captive thumbscrews	PSU bracket, top radiator bracket	PSU bracket, top radiator bracket	PSU bracket, top radiator bracket
Front panel	Ventilated steel mesh	Ventilated steel mesh	Ventilated steel mesh
Left side panel	Industrial steel	Tempered glass	Tempered glass
Right side panel	Industrial steel	Industrial steel	Industrial steel
Product dimensions (L × W × H)	495 x 229 x 515 mm	495 x 229 x 515 mm	495 x 229 x 515 mm
Package dimensions (L x W x H)	595 x 350 x 620 mm	595 x 350 x 620 mm	595 x 350 x 620 mm
Net Weight	9.9 kg	10.1 kg	10.1 kg
Gross weight	11.8 kg	12.0 kg	12.0 kg



Package contents

Package contents
Computer case
Accessory box
Stop note
Manual

Additional information

SKU	Product	EAN	UPC	ASIN
FD-C-SUM1A-01	Summit Chalk White Solid	7340172712688	843276112684	BOFV31D52V
FD-C-SUM1A-02	Summit Chalk White TG Clear Tint	7340172712695	843276112691	BOFV32MWDK
FD-C-SUM1A-03	Summit Black Solid	7340172712701	843276112707	BOFV31H1M6
FD-C-SUM1A-04	Summit Black TG Light Tint	7340172712718	843276112714	BOFV32N3TH
FD-C-SUM1A-05	Summit Blackout TG Light Tint	7340172712725	843276112721	BOFV343VQN
FD-C-SUM1A-06	Summit Ambience Blackout TG Light Tint	7340172712732	843276112738	BOFV31CNCQ



