

MPN: SUTPC6A-0050M-GY

## LinkIT SlimPatch U/UTP Cat6A Grey

### 0.5m AWG 28/7, LSZH, 3,6mm

Slim network cable for demanding installations, with a modern construction that handles 10Gps and PoE++. Network cable with a much thinner diameter than standard cable. Space-saving and easy to work with. Ideal for data centres, patch cabinets, etc. The cable's performance exceeds the Cat.6a requirements (ANSI/TIA- 568-C.2 and ISO 11801) provided that the installation cable used is certified Cat.6a 23AWG cable. The maximum link length is 96 metres, provided that the installation cable used is certified Cat.6a 23AWG cable, 90 metres, and the length of the patch cables does not exceed 6 metres in total.



## Specifications

|                           |                                   |                               |
|---------------------------|-----------------------------------|-------------------------------|
| <b>Certificates</b>       | <b>Certification</b>              | CE; RoHS                      |
| <b>Features</b>           | <b>Cable class</b>                | Cat.6a Slim                   |
|                           | <b>Cable length</b>               | 0.5 m                         |
|                           | <b>Cable shielding</b>            | U/UTP (UTP)                   |
|                           | <b>Cable standard</b>             | Cat6a                         |
|                           | <b>Cable type</b>                 | U/UTP                         |
|                           | <b>Connector 1</b>                | RJ45                          |
|                           | <b>Connector 1 gender</b>         | Male                          |
|                           | <b>Connector 2</b>                | RJ45                          |
|                           | <b>Connector 2 gender</b>         | Male                          |
|                           | <b>Jacket material</b>            | Low smoke zero halogen (LSZH) |
|                           | <b>Product colour</b>             | Grey                          |
| <b>Legal Information</b>  | <b>ADR Information</b>            | No restrictions               |
|                           | <b>Country of Origin</b>          | China                         |
|                           | <b>Tariff No.</b>                 | 8544200090                    |
|                           | <b>UNSPSC Code</b>                | 26121609                      |
| <b>Package dimensions</b> | <b>Depth (package,cm)</b>         | 1.6 cm                        |
|                           | <b>Gross Weight (Package, kg)</b> | 0.02 kg                       |
|                           | <b>Height (package,cm)</b>        | 15.2 cm                       |
|                           | <b>Width (package,cm)</b>         | 17.8 cm                       |
| <b>Product dimensions</b> | <b>Net Weight (Product, kg)</b>   | 0.017 kg                      |
| <b>Vendor information</b> | <b>Brand Name</b>                 | LinkIT                        |

## Other products in this series

| Cable length | Black               | Blue             | Green            | Grey             |
|--------------|---------------------|------------------|------------------|------------------|
| 0.2          | SUTPC6A-0020M-SV    | SUTPC6A-0020M-BL | SUTPC6A-0020M-GR | SUTPC6A-0020M-GY |
| 0.3          | SUTPC6A-0030M-SV    | SUTPC6A-0025M-BL | SUTPC6A-0025M-GR | SUTPC6A-0025M-GY |
| 0.5          | SUTPC6A-0050M-SV    | SUTPC6A-0050M-BL | SUTPC6A-0050M-GR | SUTPC6A-0050M-GY |
| 0.75         | SUTPC6A-0075M-SV    |                  |                  | SUTPC6A-0075M-GY |
| 1            | SUTPC6A-0100M-SV    | SUTPC6A-0100M-BL | SUTPC6A-0100M-GR | SUTPC6A-0100M-GY |
| 1.5          | SUTPC6A-0150M-SV    | SUTPC6A-0150M-BL | SUTPC6A-0150M-GR | SUTPC6A-0150M-GY |
| 2            | SUTPC6A-0200M-SV    | SUTPC6A-0200M-BL | SUTPC6A-0200M-GR | SUTPC6A-0200M-GY |
| 3            | SUTPC6A-0300M-SV    | SUTPC6A-0300M-BL | SUTPC6A-0300M-GR | SUTPC6A-0300M-GY |
| 5            | SUTPC6A-0500M-SV    | SUTPC6A-0500M-BL | SUTPC6A-0500M-GR | SUTPC6A-0500M-GY |
| 7.5          | SUTPC6A-0750M-SV    | SUTPC6A-0750M-BL | SUTPC6A-0750M-GR | SUTPC6A-0750M-GY |
| 10           | SUTPC6A-1000M-SV    | SUTPC6A-1000M-BL |                  | SUTPC6A-1000M-GY |
| 15           | LI-SC6AUUTP-1500-SV |                  |                  | SUTPC6A-1500M-GY |
| 20           | LI-SC6AUUTP-2000-SV |                  |                  | SUTPC6A-2000M-GY |

| Cable length | Red              | White               | Yellow           |
|--------------|------------------|---------------------|------------------|
| 0.2          | SUTPC6A-0020M-RD | SUTPC6A-0020M-WH    | SUTPC6A-0020M-YL |
| 0.3          | SUTPC6A-0025M-RD | SUTPC6A-0025M-WH    | SUTPC6A-0030M-YL |
| 0.5          | SUTPC6A-0050M-RD | SUTPC6A-0050M-WH    | SUTPC6A-0050M-YL |
| 0.75         |                  | SUTPC6A-0075M-WH    | SUTPC6A-0075M-YL |
| 1            | SUTPC6A-0100M-RD | SUTPC6A-0100M-WH    | SUTPC6A-0100M-YL |
| 1.5          | SUTPC6A-0150M-RD | SUTPC6A-0150M-WH    | SUTPC6A-0150M-YL |
| 2            | SUTPC6A-0200M-RD | SUTPC6A-0200M-WH    | SUTPC6A-0200M-YL |
| 3            | SUTPC6A-0300M-RD | SUTPC6A-0300M-WH    | SUTPC6A-0300M-YL |
| 5            | SUTPC6A-0500M-RD | SUTPC6A-0500M-WH    | SUTPC6A-0500M-YL |
| 7.5          | SUTPC6A-0750M-RD | SUTPC6A-0750M-WH    |                  |
| 10           |                  | SUTPC6A-1000M-WH    |                  |
| 15           |                  | LI-SC6AUUTP-1500-WH |                  |
| 20           |                  | LI-SC6AUUTP-2000-WH |                  |

## Other images

