


MPN: SFTPC6A-0050M-GY

LinkIT SlimPatch F/UTP Cat6A Grey

0.5m AWG 28/1, LSZH, 4.7mm

Slim network cable for demanding installations, with a modern construction that handles 10Gps and PoE++. Network cable with a much thinner diameter than standard cable. Space-saving and easy to work with. Ideal for data centres, patch cabinets, etc. The cable's performance exceeds the Cat.6a requirements (ANSI/TIA- 568-C.2 and ISO 11801) provided that the installation cable used is certified Cat.6a 23AWG cable. The maximum link length is 96 metres, provided that the installation cable used is certified Cat.6a 23AWG cable, 90 metres, and the length of the patch cables does not exceed 6 metres in total.



Specifications

Certificates	Certification	CE; RoHS
Features	Cable class	Cat.6a Slim
	Cable length	0.5 m
	Cable shielding	F/UTP (FTP)
	Cable standard	Cat6a
	Cable type	F/UTP
	Connector 1	RJ45
	Connector 1 gender	Male
	Connector 2	RJ45
	Connector 2 gender	Male
	Jacket material	Low smoke zero halogen (LSZH)
	Product colour	Grey
Legal Information	ADR Information	No restrictions
	Country of Origin	China
	Tariff No.	8544200090
	UNSPSC Code	26121609
Package dimensions	Depth (package,cm)	1.6 cm
	Gross Weight (Package, kg)	0.03 kg
	Height (package,cm)	15.2 cm
	Width (package,cm)	17.8 cm
Product dimensions	Net Weight (Product, kg)	0.027 kg
Vendor information	Brand Name	LinkIT

Other products in this series

Cable length	Black	Blue	Green	Grey
0.2	SFTPC6A-0020M-SV	SFTPC6A-0020M-BL	SFTPC6A-0020M-GR	SFTPC6A-0020M-GY
0.3	SFTPC6A-0030M-SV	SFTPC6A-0025M-BL	SFTPC6A-0025M-GR	SFTPC6A-0025M-GY
0.5	SFTPC6A-0050M-SV	SFTPC6A-0050M-BL	SFTPC6A-0050M-GR	SFTPC6A-0050M-GY
0.75	SFTPC6A-0075M-SV			
1	SFTPC6A-0100M-SV	SFTPC6A-0100M-BL	SFTPC6A-0100M-GR	SFTPC6A-0100M-GY
1.5	SFTPC6A-0150M-SV	SFTPC6A-0150M-BL	SFTPC6A-0150M-GR	SFTPC6A-0150M-GY
2	SFTPC6A-0200M-SV	SFTPC6A-0200M-BL	SFTPC6A-0200M-GR	SFTPC6A-0200M-GY
3	SFTPC6A-0300M-SV	SFTPC6A-0300M-BL	SFTPC6A-0300M-GR	SFTPC6A-0300M-GY
5	SFTPC6A-0500M-SV	SFTPC6A-0500M-BL	SFTPC6A-0500M-GR	SFTPC6A-0500M-GY
7.5	SFTPC6A-0700M-SV	SFTPC6A-0750M-BL	SFTPC6A-0750M-GR	SFTPC6A-0750M-GY
10	SFTPC6A-1000M-SV	SFTPC6A-1000M-BL		SFTPC6A-1000M-GY

Cable length	Orange	Purple	Red	White
0.2	LI-SC6AFUTP-0002-OR	LI-SC6AFUTP-0002-PU	SFTPC6A-0020M-RD	SFTPC6A-0020M-WH
0.3	LI-SC6AFUTP-0003-OR	LI-SC6AFUTP-0003-PU	SFTPC6A-0025M-RD	SFTPC6A-0025M-WH
0.5	LI-SC6AFUTP-0005-OR	LI-SC6AFUTP-0005-PU	SFTPC6A-0050M-RD	SFTPC6A-0050M-WH
0.75				SFTPC6A-0075M-WH
1	LI-SC6AFUTP-0010-OR	LI-SC6AFUTP-0010-PU	SFTPC6A-0100M-RD	SFTPC6A-0100M-WH
1.5	LI-SC6AFUTP-0015-OR	LI-SC6AFUTP-0015-PU	SFTPC6A-0150M-RD	SFTPC6A-0150M-WH
2	LI-SC6AFUTP-0020-OR	LI-SC6AFUTP-0020-PU	SFTPC6A-0200M-RD	SFTPC6A-0200M-WH
3	LI-SC6AFUTP-0030-OR	LI-SC6AFUTP-0030-PU	SFTPC6A-0300M-RD	SFTPC6A-0300M-WH
5	LI-SC6AFUTP-0050-OR	LI-SC6AFUTP-0050-PU	SFTPC6A-0500M-RD	SFTPC6A-0500M-WH
7.5			SFTPC6A-0750M-RD	SFTPC6A-0750M-WH
10				SFTPC6A-1000M-WH

Cable length	Yellow
0.2	SFTPC6A-0020M-YL
0.3	SFTPC6A-0030M-YL
0.5	SFTPC6A-0050M-YL
0.75	
1	SFTPC6A-0100M-YL
1.5	SFTPC6A-0150M-YL
2	SFTPC6A-0200M-YL
3	SFTPC6A-0300M-YL
5	SFTPC6A-0500M-YL
7.5	
10	

Other images

