

MPN: SFTPC6A-0200M-GY


# LinkIT SlimPatch F/UTP Cat6A Grey 2m

## AWG 28/1, LSZH, 4.7mm

LinkIt Patch Cat.6a cables stand out with their impressive 50-micron gold plating, which provides outstanding corrosion protection and optimal signal transmission. Another important feature is support for the PoE++ (Power over Ethernet++) standard, which enables robust power delivery over network cables. This makes the device ideal for power-hungry applications such as cameras, access points and other devices that require additional power.

The modular plug is equipped with a tanglefree lock that prevents annoying cable tangles and ensures a hassle-free connection experience. The cable is supplied with a high-quality clear plug, which provides extra strength and protection to the cable ends and ensures durability and reliability, even in demanding environments.

The cable's performance meets the requirements for Cat.6a (ANSI / TIA-568-C.2 and ISO 11801).



## Specifications

|                           |                                   |                               |
|---------------------------|-----------------------------------|-------------------------------|
| <b>Certificates</b>       | <b>Certification</b>              | CE; RoHS                      |
| <b>Features</b>           | <b>Cable class</b>                | Cat.6a Slim                   |
|                           | <b>Cable length</b>               | 2 m                           |
|                           | <b>Cable shielding</b>            | F/UTP (FTP)                   |
|                           | <b>Cable standard</b>             | Cat6a                         |
|                           | <b>Cable type</b>                 | F/UTP                         |
|                           | <b>Connector 1</b>                | RJ45                          |
|                           | <b>Connector 1 gender</b>         | Male                          |
|                           | <b>Connector 2</b>                | RJ45                          |
|                           | <b>Connector 2 gender</b>         | Male                          |
|                           | <b>Jacket material</b>            | Low smoke zero halogen (LSZH) |
|                           | <b>Product colour</b>             | Grey                          |
| <b>Legal Information</b>  | <b>ADR Information</b>            | No restrictions               |
|                           | <b>Country of Origin</b>          | China                         |
|                           | <b>Tariff No.</b>                 | 8544200090                    |
|                           | <b>UNSPSC Code</b>                | 26121609                      |
| <b>Package dimensions</b> | <b>Depth (package,cm)</b>         | 1.6 cm                        |
|                           | <b>Gross Weight (Package, kg)</b> | 0.07 kg                       |
|                           | <b>Height (package,cm)</b>        | 17.8 cm                       |
|                           | <b>Width (package,cm)</b>         | 20.3 cm                       |
| <b>Product dimensions</b> | <b>Net Weight (Product, kg)</b>   | 0.066 kg                      |
| <b>Vendor information</b> | <b>Brand Name</b>                 | LinkIT                        |

## Other products in this series

| Cable length | Black            | Blue             | Green            | Grey             |
|--------------|------------------|------------------|------------------|------------------|
| 0.2          | SFTPC6A-0020M-SV | SFTPC6A-0020M-BL | SFTPC6A-0020M-GR | SFTPC6A-0020M-GY |
| 0.3          | SFTPC6A-0030M-SV | SFTPC6A-0025M-BL | SFTPC6A-0025M-GR | SFTPC6A-0025M-GY |
| 0.5          | SFTPC6A-0050M-SV | SFTPC6A-0050M-BL | SFTPC6A-0050M-GR | SFTPC6A-0050M-GY |
| 0.75         | SFTPC6A-0075M-SV |                  |                  |                  |
| 1            | SFTPC6A-0100M-SV | SFTPC6A-0100M-BL | SFTPC6A-0100M-GR | SFTPC6A-0100M-GY |
| 1.5          | SFTPC6A-0150M-SV | SFTPC6A-0150M-BL | SFTPC6A-0150M-GR | SFTPC6A-0150M-GY |
| 2            | SFTPC6A-0200M-SV | SFTPC6A-0200M-BL | SFTPC6A-0200M-GR | SFTPC6A-0200M-GY |
| 3            | SFTPC6A-0300M-SV | SFTPC6A-0300M-BL | SFTPC6A-0300M-GR | SFTPC6A-0300M-GY |
| 5            | SFTPC6A-0500M-SV | SFTPC6A-0500M-BL | SFTPC6A-0500M-GR | SFTPC6A-0500M-GY |
| 7.5          | SFTPC6A-0700M-SV | SFTPC6A-0750M-BL | SFTPC6A-0750M-GR | SFTPC6A-0750M-GY |
| 10           | SFTPC6A-1000M-SV | SFTPC6A-1000M-BL |                  | SFTPC6A-1000M-GY |

| Cable length | Orange              | Purple              | Red              | White            |
|--------------|---------------------|---------------------|------------------|------------------|
| 0.2          | LI-SC6AFUTP-0002-OR | LI-SC6AFUTP-0002-PU | SFTPC6A-0020M-RD | SFTPC6A-0020M-WH |
| 0.3          | LI-SC6AFUTP-0003-OR | LI-SC6AFUTP-0003-PU | SFTPC6A-0025M-RD | SFTPC6A-0025M-WH |
| 0.5          | LI-SC6AFUTP-0005-OR | LI-SC6AFUTP-0005-PU | SFTPC6A-0050M-RD | SFTPC6A-0050M-WH |
| 0.75         |                     |                     |                  | SFTPC6A-0075M-WH |
| 1            | LI-SC6AFUTP-0010-OR | LI-SC6AFUTP-0010-PU | SFTPC6A-0100M-RD | SFTPC6A-0100M-WH |
| 1.5          | LI-SC6AFUTP-0015-OR | LI-SC6AFUTP-0015-PU | SFTPC6A-0150M-RD | SFTPC6A-0150M-WH |
| 2            | LI-SC6AFUTP-0020-OR | LI-SC6AFUTP-0020-PU | SFTPC6A-0200M-RD | SFTPC6A-0200M-WH |
| 3            | LI-SC6AFUTP-0030-OR | LI-SC6AFUTP-0030-PU | SFTPC6A-0300M-RD | SFTPC6A-0300M-WH |
| 5            | LI-SC6AFUTP-0050-OR | LI-SC6AFUTP-0050-PU | SFTPC6A-0500M-RD | SFTPC6A-0500M-WH |
| 7.5          |                     |                     | SFTPC6A-0750M-RD | SFTPC6A-0750M-WH |
| 10           |                     |                     |                  | SFTPC6A-1000M-WH |

| Cable length | Yellow           |
|--------------|------------------|
| 0.2          | SFTPC6A-0020M-YL |
| 0.3          | SFTPC6A-0030M-YL |
| 0.5          | SFTPC6A-0050M-YL |
| 0.75         |                  |
| 1            | SFTPC6A-0100M-YL |
| 1.5          | SFTPC6A-0150M-YL |
| 2            | SFTPC6A-0200M-YL |
| 3            | SFTPC6A-0300M-YL |
| 5            | SFTPC6A-0500M-YL |
| 7.5          |                  |
| 10           |                  |

## Other images

