



# 5VDC 4A IEC C14 Power Supply, 5.5/2.5mm

No.: 73817

Switching power supply for use with IEC C13 power cable

## Description

- Switching power supply with IEC C14 male connection
- 5VDC 4A output for powering connected devices
- Standard DC jack for a simple connection
- Connect with compatible C13 cable
- 2 Year Warranty

The Lindy IEC C14 power supply is a regulated and suitable solution for powering connected equipment which require an output voltage and amperage up to 5V 4A.

The C14 male connection allows for connection of cables which use a C13 female socket, while a standard DC jack ensures simple fitting with compatible devices.

#### **Technical details**

# **Specifications**

- Input Voltage: 100...240VACInput AC Frequency: 50...60Hz
- Output Voltage: 5V
- Output Voltage Accuracy: ±5%
- Output Current (max.): 4A
- Output Power: 20W
- Average active efficiency: 0.8308
- Efficiency at low load (10%): 0.7424
- No-load Power Consumption: 0.1W

### **Physical Properties**

- Dimensions (approx.) WxDxH: 50.4x85.8x32.9mm (1.98x3.38x1.3in)
- DC Cable Length: 1.2m (3.94ft)
- DC Connector Size: 5.5/2.5mm
- Housing Material: Plastic
- Net Weight: 0.167kg (0.37lb)
- Operating Temperature: 0 °C 40 °C (32 °F 104 °F)
- Storage Temperature: -20 °C 70 °C (-4 °F 158 °F)

- Operating Humidity: 0 75% RH (Non-condensing)
- Storage Humidity: 0 95% RH (Non-condensing)
- Colour: Black

#### Miscellaneous

- Manufacturer Name: Powertron
- Commercial Registration No.: 91441900082613400
- Manufacturer Address: 6F, No.115, Lide St., Zhonghe Dist., New Taipei City 23556, Taiwan
- Manufacturer Model No.: PA1024-050T1A400
- Packaging Type: Carton Box
- Packaging Dimensions: 140x40x120mm (5.51x1.57x4.72in)
- Gross Weight: 0.199kg (0.44lb)
- Warranty (Years): 2Certificated: EMC
- LVD
- ErP
- UL
- CCC
- RCM
- PSE
- RoHS
- REACH
- California Proposition 65

## **Package Content**

- IEC C14 Power Supply
- Lindy Manual

### **Purchasing Information**

• No.: 73817

• EAN: 4002888738170

© LINDY 2021